

TR-650 Direct Engine Driven

A cooling system designed for the transportation of fresh or frozen goods in small vans with container volume of 30~45m³.

- Multi-function controller with microprocessor control system
- Extra-flat evaporator with inner grooved cooper tube; micro-channel parallel flow condenser
- Digital display: temperature in °C or °F; return air; configuration parameters and alarms
- Safety devices: low and high refrigerant pressure protection; thermal protection

Model		TR-650
Temperature Range(In Container)		-20°C ~ +30°C / 0°F ~ +86°F
Cooling Capacity	0°C/+32°F	6050W / 6745Kcal/h / 18000BTU
	-20°C/ 0°F	3300 / 3489Kcal/h / 9980BTU
Compressor	Model	QP16
	Displacement	163cc/r
	Weight	8.9kg
Condenser	Coil	Copper Tube & Aluminum Fin
	Fan	Two Fans (DC12V/24V)
	Dimensions	1367*514*498 mm
	Weight	78 kg
Evaporator	Coil	Copper Tube & Aluminum Fin
	Fan	Three Italy Spal Fans(DC12V/24V)
	Air flow	4200m ³ /h
	Dimensions	1530×649×230 mm
	Weight	38 kg
Voltage		DC12V / DC24V
Refrigerant		R404a/3.6kg
Defrosting		Hot gas defrosting(Auto./Manual)
Application		35~45m ³

Application

